



## Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 05.09.2023 Version number 2 (replaces version 1) Revision: 05.09.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: CLEAN BOAT SPECIAL CARENE
- · UFI: M500-E063-T00P-GFA0
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the preparation : Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

**CB DISTRIBUTION** 

1416 avenue du Général de Gaulle 83300 DRAGUIGNAN - FRANCE Téléphone : 33 (0)4 89 99 05 07

E-mail: cbdistribution@outlook.com

1.4 Emergency telephone number:

France (INRS 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgium - Brüssel: +32 070/245 245

UK: Call NHS 999 in a medical emergency. If you urgently need medical help or advice but it's not a life-threatening situation, call 111 (24/7). The NHS 111 number is currently only available in certain areas. If you're outside of these areas, you should call NHS Direct on 0845 4647

Swiss Toxicological Information Centre (Zürich): +41 44 251 51 51 / www.toxi.ch.

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Page 2/11

## Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 05.09.2023 Version number 2 (replaces version 1) Revision: 05.09.2023

Trade name: CLEAN BOAT SPECIAL CARENE

(Contd. of page 1)

#### · Hazard pictograms



#### · Signal word Warning

#### · Hazard-determining components of labelling:

hydrogen chloride

#### · Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P234 Keep only in original packaging.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · 2.3 Other hazards

The mixture shall not contain substances listed in accordance with Article 59(1) of UK REACH as having endocrine disrupting properties, or be recognised as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in a concentration equal to or greater than 0.1%.

#### · Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description:** Preparation: composed of the substances listed below.

(Contd. on page 3)



Page 3/11

# Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 05.09.2023 Version number 2 (replaces version 1) Revision: 05.09.2023

Trade name: CLEAN BOAT SPECIAL CARENE

(Contd. of page 2)

· Dangerous components:

CAS: 7647-01-0 hydrogen chloride <25.0%

Index number: 017-002-01-X Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %

RTECS: MW 9620000 Skin Irrit. 2; H315: 10 %  $\leq$  C < 25

Reg.nr.: 01-2119484862-27-xxxx

Eye Dam. 1; H318:  $C \ge 25 \%$ Eye Irrit. 2; H319: 10 %  $\le C < 25 \%$ STOT SE 3; H335:  $C \ge 10 \%$ 

· SVHC -

· Additional information: For the wording of the listed risk phrases, refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation:

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed :

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Suitable extinguishing agents: Extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture :

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- · Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures :

Do not breathe fumes, vapours, gases, aerosols

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

(Contd. on page 4)



Page 4/11

## Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 05.09.2023 Version number 2 (replaces version 1) Revision: 05.09.2023

#### Trade name: CLEAN BOAT SPECIAL CARENE

(Contd. of page 3)

Do not allow the product to enter sewers/ surface water or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.

· Further information about storage conditions:

Protect from humidity and water.

Keep container tightly sealed.

· 7.3 Specific end use(s): No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### CAS: 7647-01-0 hydrogen chloride (10-25%)

WEL (Great Britain) Short-term value: 8 mg/m³, 5 ppm

Long-term value: 2 mg/m³, 1 ppm

(gas and aerosol mists)

IOELV (EU) Short-term value: 15 mg/m³, 10 ppm

Long-term value: 8 mg/m<sup>3</sup>, 5 ppm

MAK (Switzerland) Short-term value: 6 mg/m³, 4 ppm

Long-term value: 3 mg/m³, 2 ppm

SSc;

· DNELs

### CAS: 7647-01-0 hydrogen chloride

Inhalative DNEL Worker long-term local effects 8 mg/m³

DNEL Worker acute/short-term local effects 15 mg/m³

(Contd. on page 5)



Page 5/11

# Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 05.09.2023 Version number 2 (replaces version 1) Revision: 05.09.2023

#### Trade name: CLEAN BOAT SPECIAL CARENE

(Contd. of page 4)

· PNECs

### CAS: 7647-01-0 hydrogen chloride

PNEC STP 0.0036 mg/L

PNEC aqua (fresh water) 0.0036 mg/L

PNEC agua (marine water) 0.0036 mg/L

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from food, beverages and petfood.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

- · Gloves material: Butyl rubber, BR
- · Eye/face protection



Tightly sealed goggles

· Body protection:



Protective work clothing

#### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state

Liquid

· Form:

Liquid

· Colour:

Red

(Contd. on page 6)



## Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 05.09.2023 Version number 2 (replaces version 1) Revision: 05.09.2023

Trade name: CLEAN BOAT SPECIAL CARENE

(Contd. of page 5)

Page 6/11

Odour: CharacteristicOdour threshold: Not determined.

Melting point/freezing point: -52 °C

 $\cdot$  Boiling point or initial boiling point and boiling

range >90 °C

· Flammability Not applicable.

· Lower and upper explosion limit

ISTRIBUTION

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Auto-ignition temperature: Not applicable.
Decomposition temperature: Not determined.
pH

· Viscosity:

Kinematic viscosity
 Dynamic at 15 °C:
 Not determined.
 1.9 mPas

· Solubility

water: Fully miscible.
 Partition coefficient n-octanol/water (log value)
 Vapour pressure: Fully miscible.
 Not determined.
 Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density:
 Vapour density:
 Not determined.
 Not determined.

· 9.2 Other information :

 Important information on protection of health and environment, and on safety.

· **Ignition temperature:** Product is not self igniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· COV (CH): 0.00 %

· Change in condition

• Evaporation rate : Not determined.

Information with regard to physical hazard classes

Explosives Not classified as hazardous

Not classified as hazardous

• Flammable gases Not classified as hazardous

Not classified as hazardous

· Aerosols Not classified as hazardous

Not classified as hazardous

Oxidising gases
 Not classified as hazardous

Not classified as hazardous

(Contd. on page 7)





## Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 05.09.2023 Version number 2 (replaces version 1) Revision: 05.09.2023

### Trade name: CLEAN BOAT SPECIAL CARENE

		(Contd. of page 6)
· Gases under pressure	Not classified as hazardous	
	Not classified as hazardous	
· Flammable liquids	Not classified as hazardous	
	Not classified as hazardous	
· Flammable solids	Not classified as hazardous	
	Not classified as hazardous	
· Self-reactive substances and mixtures	Not classified as hazardous	
	Not classified as hazardous	
· Pyrophoric liquids	Not classified as hazardous	
	Not classified as hazardous	
· Pyrophoric solids	Not classified as hazardous	
	Not classified as hazardous	
· Self-heating substances and mixtures	Not classified as hazardous	
	Not classified as hazardous	
· Substances and mixtures, which emit flammabl	e	
gases in contact with water	Not classified as hazardous	
	Not classified as hazardous	
· Oxidising liquids	Not classified as hazardous	
	Not classified as hazardous	
· Oxidising solids	Not classified as hazardous	
	Not classified as hazardous	
· Organic peroxides	Not classified as hazardous	
	Not classified as hazardous	
· Corrosive to metals	May be corrosive to metals.	
	Not classified as hazardous	
· Desensitised explosives	Not classified as hazardous	
	Not classified as hazardous	

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions:

Reactions to oxidizing agents, reducing and strong bases ..

Reacts with various metals.

- 10.4 Conditions to avoid: No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Nitrogen oxides (NOx)

Sulphur oxides (SOx)

Carbon monoxide and carbon dioxide

Poisonous gases/vapours

Chlorine

(Contd. on page 8)





## Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 05.09.2023 Version number 2 (replaces version 1) Revision: 05.09.2023

Trade name: CLEAN BOAT SPECIAL CARENE

(Contd. of page 7)

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

#### CAS: 7647-01-0 hydrogen chloride

Oral LD50 900 mg/kg (rabbit)

Inhalative LC50/4 h 45.6 mg/l (rat)

- · On the skin: Causes skin irritation.
- · On the eyes: Causes serious eye irritation.
- · Respiratory or skin sensitization Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability: No further relevant information available.
- 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil : No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 9)



Page 9/11

# Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 05.09.2023 Version number 2 (replaces version 1) Revision: 05.09.2023

Trade name: CLEAN BOAT SPECIAL CARENE

(Contd. of page 8)

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation :



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### European waste catalogue

20 00 00 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS

20 01 00 separately collected fractions (except 15 01)

20 01 29\* detergents containing hazardous substances

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP8 Corrosive

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

### **SECTION 14: Transport information**

- · 14.1 UN number or ID number
- · DOT, ADR, IMDG, IATA

14.2 UN proper shipping name

· ADR

· IMDG, IATA

· 14.3 Transport hazard class(es)

UN1789

UN1789 HYDROCHLORIC ACID solution

**HYDROCHLORIC ACID solution** 

· ADR



· Class 8 (C1) Corrosive substances.

· Label 8

· IMDG, IATA



Class
 8 Corrosive substances.

· Label

(Contd. on page 10)





## Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 05.09.2023 Version number 2 (replaces version 1) Revision: 05.09.2023

Ш

Trade name: CLEAN BOAT SPECIAL CARENE

(Contd. of page 9)

· 14.4 Packing group

· ADR. IMDG. IATA

· 14.5 Environmental hazards: Not applicable.

· 14.6 Special precautions for user Warning: Corrosive substances.

· Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B

· Segregation groups (SGG1a) Strong acids

 Stowage Category 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· Transport/Additional information:

ADR

5L · Limited quantities (LQ)

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Transport category · Tunnel restriction code Ε

· IMDG

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN 1789 HYDROCHLORIC ACID SOLUTION, 8, III · UN "Model Regulation":

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 11)



Page 11/11

## Safety data sheet according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 05.09.2023 Version number 2 (replaces version 1) Revision: 05.09.2023

Trade name: CLEAN BOAT SPECIAL CARENE

(Contd. of page 10)

· Regulation (EC) No 273/2004 on drug precursors

CAS: 7647-01-0 hydrogen chloride: 3

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 7647-01-0 hydrogen chloride: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification in accordance with Delegated Regulation (EU) 2022/692 of 16 February 2022 adapting to technical and scientific progress GB CLP for the 18th time and amending table 3 of Annex VI part 3 of Regulation (EC) 1272/2008.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

### · Relevant phrases

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

### · Classification according to Regulation (EC) No 1272/2008

Corrosive to metals On basis of test data

Skin corrosion/irritation

The classification of the mixture is generally based on the calculation method using substance data according to Specific target organ toxicity (single exposure) Regulation (EC) No 1272/2008.

Date of previous version: 09.11.2022

· Version number of previous version: 1

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3