

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name: CLEAN BOAT MULTI USAGE****UFI:** V200-W0GQ-H006-T3QX**1.2 Relevant identified uses of the substance or mixture and uses advised against****Sector of Use** SU21 Consumer uses: Private households / general public / consumers**Product category** PC35 Washing and cleaning products (including solvent based products)**Application of the substance / the preparation :** Cleaning agent/ Cleaner**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

CB DISTRIBUTION

Chez Soft Consulting

68 bd Carnot

06 400 - CANNES - FRANCE

Téléphone : 33 (0)4 89 99 05 07

E-mail : cbdistribution@outlook.com

1.4 Emergency telephone number:

France (INRS 24h/24) - Tel : +33 (0)1 45 42 59 59

Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgium - Brüssel: +32 070/245 245

UK : Call NHS 999 in a medical emergency. If you urgently need medical help or advice but it's not a life-threatening situation, call 111 (24/7). The NHS 111 number is currently only available in certain areas. If you're outside of these areas, you should call NHS Direct on 0845 4647

Swiss Toxicological Information Centre (Zürich) : +41 44 251 51 51 / www.toxi.ch.

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008 :**

GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms

GHS05

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 1)

· Signal word Danger**· Hazard-determining components of labelling:**

tetrasodium ethylenediaminetetraacetate

disodium metasilicate

Poly(oxy-1,2-ethanediyl),alpha-(2-propylheptyl)-omega hydroxy

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P234 Keep only in original packaging.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Regulation 648/2004 on Detergents :

non-ionic surfactants

<5%

· 2.3 Other hazards

The mixture shall not contain substances listed in accordance with Article 59(1) of UK REACH as having endocrine disrupting properties, or be recognised as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in a concentration equal to or greater than 0.1%.

· Results of PBT and vPvB assessment**· PBT:** Not applicable.**· vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****· 3.2 Mixtures****· Description:** Mixture: consisting of the following components.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 2)

Dangerous components:

CAS: 64-02-8 EINECS: 200-573-9 Index number: 607-428-00-2 RTECS: AH 5075000 Reg.nr.: 01-2119486762-27	tetrasodium ethylenediaminetetraacetate ⚠ STOT RE 2, H373; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332	≤3.0%
CAS: 160875-66-1	Poly(oxy-1,2-ethanediyl),alpha-(2-propylheptyl)-omega hydroxy ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	≤3.0%
CAS: 863679-20-3	Quaternary coco alkyl methyl amine ethoxylate methyl chloride ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315	≤3.0%
CAS: 7320-34-5 EINECS: 230-785-7 Reg.nr.: 01-2119489369-18-XXXX	tetrapotassium pyrophosphate ⚠ Eye Irrit. 2, H319	≤2.0%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 RTECS: TT 2102000 Reg.nr.: 01-2119487136-33	Hydroxyde de Potassium ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≤1.5%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-xxxx	sodium hydroxide ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≤1.5%
CAS: 6834-92-0 EINECS: 229-912-9 Index number: 014-010-00-8	disodium metasilicate ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; STOT SE 3, H335	≤1.5%

· **Additional information:** For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:**

In case of unconsciousness place patient in a stable laying down side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 3)

- **4.2 Most important symptoms and effects, both acute and delayed :**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed :**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture :** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures :**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow the product to enter sewers/ surface water or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections :**
See Section 7 for information on safe handling.
See Section 8 for information on personal protective equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling :**
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**
Do not store together with oxidising and acidic materials as well as heavy-metal compounds.
Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Recommended storage temperature:** <40°C

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 4)

· **7.3 Specific end use(s)** : No further relevant information available.**SECTION 8: Exposure controls/personal protection**· **8.1 Control parameters**· **Ingredients with limit values that require monitoring at the workplace:****CAS: 1310-58-3 Hydroxyde de Potassium ($\leq 2.5\%$)**WEL (Great Britain) Short-term value: 2 mg/m³MAK (Switzerland) Long-term value: 2 e mg/m³**CAS: 1310-73-2 sodium hydroxide ($\leq 2.5\%$)**WEL (Great Britain) Short-term value: 2 mg/m³MAK (Switzerland) Short-term value: 2 e mg/m³Long-term value: 2 e mg/m³

SSc;

· **DNELs****CAS: 64-02-8 tetrasodium ethylenediaminetetraacetate**

Oral DNEL Public long-term systemic 25 mg/kg bw/d

Inhalative DNEL Worker long-term systemic 2.5 mg/m³DNEL Public long-term local effects 1.5 mg/m³DNEL Public acute/short-term local effects 1.5 mg/m³DNEL Worker acute/short-term local effects 2.5 mg/m³**CAS: 7320-34-5 tetrapotassium pyrophosphate**

Oral DNEL Public long-term systemic >70 mg/kg bw/d

Inhalative DNEL Public long-term systemic 0.68 mg/m³DNEL Worker long-term systemic 2.79 mg/m³**CAS: 1310-58-3 Hydroxyde de Potassium**Inhalative DNEL Public long-term local effects 1 mg/m³DNEL Worker long-term local effects 1 mg/m³**CAS: 1310-73-2 sodium hydroxide**Inhalative DNEL Public long-term local effects 1 mg/m³DNEL Worker long-term local effects 1 mg/m³**CAS: 6834-92-0 disodium metasilicate**

Oral DNEL Public long-term systemic 0.74 mg/kg bw/d

Dermal DNEL Public long-term systemic 0.74 mg/kg bw/d

DNEL Worker long-term systemic 1.49 mg/kg bw/d

Inhalative DNEL Public long-term systemic 1.55 mg/m³DNEL Worker long-term systemic 6.22 mg/m³

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 5)

· PNECs**CAS: 64-02-8 tetrasodium ethylenediaminetetraacetate**

PNEC STP	43 mg/L
PNEC aqua (fresh water)	2.2 mg/L
PNEC aqua (intermittent releases)	1.2 mg/L
PNEC aqua (marine water)	0.22 mg/L
PNEC soil	0.72 mg/kg

CAS: 7320-34-5 tetrapotassium pyrophosphate

PNEC STP	50 mg/L
PNEC aqua (fresh water)	0.05 mg/L
PNEC aqua (intermittent releases)	0.5 mg/L
PNEC aqua (marine water)	0.005 mg/L

CAS: 6834-92-0 disodium metasilicate

PNEC STP	1,000 mg/L
PNEC aqua (fresh water)	7.5 mg/L
PNEC aqua (intermittent releases)	7.5 mg/L
PNEC aqua (marine water)	1 mg/L

· Additional information:

The most current valid lists have been used as a basis for the production of this document.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**

· General protective and hygienic measures:

Keep away from food, beverages and petfood.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Protective gloves

- **Gloves material** : Butyl rubber, BR

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 6)

· **Eye/face protection**

Tightly sealed goggles

· **Body protection:**

Protective work clothing

SECTION 9: Physical and chemical properties· **9.1 Information on basic physical and chemical properties**· **General Information**· **Physical state**

Liquid

· **Colour:**

White

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

Undetermined.

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable.

· **Ignition temperature:**

Not applicable.

· **Decomposition temperature:**

Not determined.

· **pH at 20 °C**

12.97+/-0.02

· **Viscosity:**· **Kinematic viscosity**

Not determined.

· **Kinematic:**· **Dynamic:**

Not determined.

· **Solubility**· **water:**

Fully miscible.

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Vapour pressure at 20 °C:**

23 hPa (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)

· **Density and/or relative density**· **Density at 20 °C:**1.04+/-0.05 g/cm³· **Relative density :**

Not determined.

· **Vapour density :**

Not determined.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 7)

· 9.2 Other information :**· Appearance:****· Form:** Liquid**· Important information on protection of health and environment, and on safety.****· Auto-ignition temperature:** Product is not self igniting.**· Explosive properties:** Product does not present an explosion hazard.**· Solvent content:****· COV (CH) :** 0.00 %**· Change in condition****· Evaporation rate :** Not determined.**· Information with regard to physical hazard classes****· Explosives** Not classified as hazardous

Not classified as hazardous

· Flammable gases

Not classified as hazardous

Not classified as hazardous

· Aerosols

Not classified as hazardous

Not classified as hazardous

· Oxidising gases

Not classified as hazardous

Not classified as hazardous

· Gases under pressure

Not classified as hazardous

Not classified as hazardous

· Flammable liquids

Not classified as hazardous

Not classified as hazardous

· Flammable solids

Not classified as hazardous

Not classified as hazardous

· Self-reactive substances and mixtures

Not classified as hazardous

Not classified as hazardous

· Pyrophoric liquids

Not classified as hazardous

Not classified as hazardous

· Pyrophoric solids

Not classified as hazardous

Not classified as hazardous

· Self-heating substances and mixtures

Not classified as hazardous

Not classified as hazardous

· Substances and mixtures, which emit flammable gases in contact with water

Not classified as hazardous

Not classified as hazardous

· Oxidising liquids

Not classified as hazardous

Not classified as hazardous

· Oxidising solids

Not classified as hazardous

Not classified as hazardous

· Organic peroxides

Not classified as hazardous

Not classified as hazardous

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 8)

- **Corrosive to metals** May be corrosive to metals.
- **Desensitised explosives** Not classified as hazardous
Not classified as hazardous
Not classified as hazardous

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions :**
Reacts with water and acids.
Reacts with various metals.
- **10.4 Conditions to avoid :** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Nitrogen oxides (NO_x)
Sulphur oxides (SO_x)
Carbon monoxide and carbon dioxide
Hydrogen

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**
CAS: 7320-34-5 tetrapotassium pyrophosphate
Oral LD50 >2,000 mg/kg (mouse)
CAS: 1310-58-3 Hydroxyde de Potassium
Oral LD50 333 mg/kg (rat)
CAS: 1310-73-2 sodium hydroxide
Oral LD50 2,000 mg/kg (rat)
CAS: 6834-92-0 disodium metasilicate
Oral LD50 1,280 mg/kg (rat)
- **On the skin:** Causes severe skin burns and eye damage.
- **On the eyes:** Causes serious eye damage.
- **Respiratory or skin sensitization** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 9)

- **11.2 Information on other hazards**
- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**

CAS: 7320-34-5 tetrapotassium pyrophosphate

LC50 48h >750 mg/l (fish)

CAS: 1310-58-3 Hydroxyde de Potassium

LC50 96h 80 mg/l (fish)

CAS: 1310-73-2 sodium hydroxide

LC50 96h 35-189 mg/l (fish)

- **12.2 Persistence and degradability** : No further relevant information available.
- **12.3 Bioaccumulative potential** : No further relevant information available.
- **12.4 Mobility in soil** : No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT**: Not applicable.
- **vPvB**: Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects** : No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Throwing away bigger amounts into drains or aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the diluted product used, the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only slightly polluting for water.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation :**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 10)

· European waste catalogue

20 00 00 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS

20 01 00 separately collected fractions (except 15 01)

20 01 29* detergents containing hazardous substances

HP4 Irritant - skin irritation and eye damage

· Uncleaned packaging:**· Recommendation:** Disposal must be made according to official regulations.**· Recommended cleansing agents:** Water, if necessary together with cleansing agents.**SECTION 14: Transport information****· 14.1 UN number or ID number****· ADR, IMDG, IATA**

UN3267

· 14.2 UN proper shipping name**· ADR**

UN3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE, POTASSIUM HYDROXIDE)

· IMDG

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE, POTASSIUM HYDROXIDE)

· IATA

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (containing SODIUM HYDROXIDE, POTASSIUM HYDROXIDE)

· 14.3 Transport hazard class(es)**· ADR****· Class**

8 (C7) Corrosive substances.

· Label

8

· IMDG, IATA**· Class**

8 Corrosive substances.

· Label

8

· 14.4 Packing group**· ADR, IMDG, IATA**

II

· 14.5 Environmental hazards:

Not applicable.

· 14.6 Special precautions for user

Warning: Corrosive substances.

· Hazard identification number (Kemler code):

80

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 11)

- **EMS Number:** F-A,S-B
- **Segregation groups** (SGG18) Alkalis
- **Stowage Category** B
- **Stowage Code** SW2 Clear of living quarters.
- **Segregation Code** SG35 Stow "separated from" SGG1-acids
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

· Transport/Additional information:

- **ADR**
- **Limited quantities (LQ)** 1L
- **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
- **Transport category** 2
- **Tunnel restriction code** E

- **IMDG**
- **Limited quantities (LQ)** 1L
- **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
- **UN "Model Regulation":** UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE, POTASSIUM HYDROXIDE), 8, II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients is listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
None of the ingredients is listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**
None of the ingredients is listed.
- **Regulation (EC) No 273/2004 on drug precursors**
None of the ingredients is listed.

(Contd. on page 13)

Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

(Contd. of page 12)

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification in accordance with Delegated Regulation (EU) 2021/849 of 28 May 2021 adapting to technical and scientific progress GB CLP for the 17th time and amending table 3 of Annex VI part 3 of Regulation (EC) 1272/2008.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· Classification according to Regulation (EC) No 1272/2008

Corrosive to metals On basis of test data

Skin corrosion/irritation The classification of the mixture is generally based on the calculation
Serious eye damage/eye irritation method using substance data according to Regulation (EC) No
1272/2008.**· Date of previous version:** 30.11.2020**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. on page 14)



Safety data sheet
according to 1907/2006/EC, Article 31 & 2020/878/EC

Printing date 14.10.2022

Version number 1

Revision: 14.10.2022

Trade name: CLEAN BOAT MULTI USAGE

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

(Contd. of page 13)

GB